Installing, Configuring, & Using Brackets A Great Web Development Tool

R. Scott Granneman & Jans Carton

© 2016 R. Scott Granneman
Last updated 2021-03-29
You are free to use this work, with certain restrictions.
For full licensing information, please see the last slide/page.

IMPORTANT

Adobe announced on March 1, 2021 that it will no longer develop or support Brackets starting September 1, 2021

Adobe suggests that users move to Visual Studio Code, which I second

For info about VSCode, see www.granneman.com/all-presentations for slides

Installation

Windows, macOS, & Linux

Brackets is available for download at brackets.io





A modern, open source text editor that understands web design.

Download Brackets 1.7



Click this

Other Downloads


```
index.html — Brackets
                            103
Working Files 😢 🌣 🖽
                                  <div id="hero-wrapper">
                                      <div id="hero" class="row">
                            105
 index.html
                                          <div class="large-12 columns">
                             106
                                              <h1>Brackets is an open source code editor for web designers and front-end developers. <a class="nob..."
                             107
                                              <div id="download">
                             108
brackets.io ▼ [larz/v1 ▼]
                                                  <a id="hero-cta-button" href="https://github.com/adobe/brackets/releases/latest" class="large re</pre>
                           ➤ brackets.io.css: 378 New Rule ▼
 .gitignore
 404.html
                                #hero-cta-button {
 blog.html
                                    font: 400 18px source-sans-pro, sans-serif;
                           379
                                    text-align: center;
 CNAME
                           380
                                    padding-left: 1.5em;
                           381
 contribute.html
                                    padding-right: 1.5em;
                           382
CSS
```



A file named something like

Brackets.Release.1.7.dmg will download

Double-click on the DMG installer & a small window should open



Drag Brackets into the Applications folder



After Brackets finishes copying, eject the DMG installer

Toss the DMG installer into the Trash (select the file & press ູ (select the file & press (sele



A file named something like

Brackets.Release.1.7.msi will download

Double-click on the MSI installer

Click Run

Click Next & then Install

If you're asked if you want to "allow the following program to install software on this computer", click Yes

Click Finish

Toss the MSI installer into the Recycle Bin

Portable Brackets

How Brackets Works

Open Brackets





<> index.html

main.css

▼ screenshots

quick-edit.png

```
<!DOCTYPE html>
    <html>
 4 ▼
         <head>
             <meta charset="utf-8">
 5
             <meta http-equiv="X-UA-Compatible"</pre>
 6
             content="IE=edge">
             <title>GETTING STARTED WITH BRACKETS</title>
             <meta name="description" content="An</pre>
 8
             interactive getting started guide for
             Brackets.">
             <link rel="stylesheet" href="main.css">
 9
         </head>
10
         <body>
11 V
12
             <h1>GETTING STARTED WITH BRACKETS</h1>
13
             <h2>This is your guide!</h2>
14
16 ▼
             <!--
                 MADE WITH <3 AND JAVASCRIPT
```

First Extensions

HTML Templates, Updated



⊙ Unwatch **→** 1 **★** Star 2 **%** Fork 49

<> Code

! Issues 0

Pull requests 0

Projects 0

Wiki


Insights

Settings

Brackets extension that provides basic HTML templates of various doctypes.


Edit

Add topics




README.md

After installation, go to Edit > HTML Templates...



test ▼

index.html



Line 1, Column 1 — 1 Line

INS UTF-8 ▼ HTML ▼ 🛕 Spaces: 2








index.html

test ▼

index.html



Line 1, Column 1 — 1 Line

INS UTF-8 ▼ HTML ▼ 🛕 Spaces: 2





• index.html

test ▼

index.html

```
<!doctype html>
    <html lang="en">
 3
 4 ▼
      <head>
 5
         <meta charset="UTF-8">
        <title>Untitled Document</title>
 6
        <link rel="stylesheet" href="/css/main.css">
      </head>
 8
 9
      <body>
10 ▼
11
12
13
      </body>
14
15
    </html>
16
```



INS

Indentator

After installation, go to Edit > Indent Document

Better yet, use the key commands!

- » macOS: ^vI
- » Windows: Ctrl+Alt+I


Do not use Edit > Indent, as that just indents 1 line!






- index.html
- <> test.html
- Getting Started ▼
- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html

```
<!doctype html>
    <html>
    <head>
        <meta charset="UTF-8">
        <title>Test Document</title>
    </head>
                  Before running the Indentator...
    <body>
 8
    <h1>Test Title</h1>
10
11 V
         >
         Lorem ipsum dolor sit amet, consectetur
12
         adipisicing elit, sed do eiusmod tempor incididunt
         ut labore et dolore magna aliqua. Ut enim ad minim
         veniam, quis nostrud exercitation ullamco laboris
         nisi ut aliquip ex ea commodo consequat.
```







- index.html
- <> test.html

Getting Started ▼

- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html


```
<!doctype html>
    <html>
     <head>
       <meta charset="UTF-8">
       <title>Test Document</title>
 6
     </head>
                   After running the Indentator...
     <body>
8
       <h1>Test Title</h1>
9
10
11 V
       >
         Lorem ipsum dolor sit amet, consectetur
12
         adipisicing elit, sed do eiusmod tempor
         incididunt ut labore et dolore magna aliqua. Ut
         enim ad minim veniam, quis nostrud exercitation
         ullamco laboris nisi ut aliquip ex ea commodo
         consequat.
       >
```

Run the Indentator after every few lines of code

Nu Markup Checker



index.html



Nu Markup Checker runs every time you save








• <> test.html

Getting Started ▼

- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html



17 ▼ >

18

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Line 14, Column 9 — 22 Lines







test.html

Getting Started ▼

- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html



Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.




Error! Now click on it...

17 ▼ > 18

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit animid est laborum.





- index.html
- test.html
- Getting Started ▼
- index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html

- <h1>Test Title</h1>
- 10 11 ▼ > 12 **V** >

8

13

- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.
- 14 16

Line 15 is where the error manifests itself

1 Nu Markup Checker Problem

No "p" element in scope but a "p" end tag seen.

W3C error messages are written in "humanish"





- index.html
- test.html

Getting Started ▼

- <> index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html

```
<!doctype html>
    <html>
      <head>
        <meta charset="UTF-8">
 5
        <title>Test Document</title>
 6
      </head>
      <body>
 8
        <h1>Test Title</h1>
 9
10
11 V
        >
          Lorem ipsum dolor sit amet, consectetur
12
          adipisicing elit, sed do eiusmod tempor
          incididunt ut labore et dolore magna aliqua. Ut
          enim ad minim veniam, quis nostrud exercitation
          ullamco laboris nisi ut aliquip ex ea commodo
          consequat.
        Fixed!
        >
```

Line 14, Column 1 — 20 Lines

INS HTML ▼

♦

- Working Files chartreuse-05.htm index-02.htm tertiary-01.htm colors-site-wu ▼ charis.htm chartreuse-01.htm chartreuse-02.htm chartreuse-03.htm chartreuse-04.htm chartreuse-05.htm ▶ images index-01.htm index-02.htm temp.htm tertiary-01.htm
- ▶ videos


```
</div>
137
138
139
        <footer>
        <div class="container">
140
          <span class="copyright">
141
            <img alt="Invertocat"</pre>
142
      src="https://d2dfho4r6t7asi.cloudfront.net/assets/invertocat-
      f10d7398407ff679b054b8c4c86aa639.svg" />
            <div class="copyright-text">Copyright &copy; 2014 <a</pre>
143
      href="http://github.com">GitHub</a> Inc.
            <div class="crumb">All slide content and descriptions are owned by their
144
      creators.</div>
            </div>
145
146
          </span>
147
148
          <a href="/faq">F.A.Q.</a>
149
            <a href="/tos">Terms of Service</a>
150
            <a href="/privacy">Privacy Policy</a>
151
          152
        </div>
153
```

10 Nu Markup Checker Problems

- Bad value octolytics-script-host for attribute name on element meta: Keyword octolytics-script-host is not registered. <meta name="octolytics-ar Bad value octolytics-dimension-user_id for attribute name on element meta: Keyword octolytics-dimension-user_id is not registered. <meta name="octolytics-di Bad value octolytics-dimension-user_username for attribute name on element meta: Keyword octolytics-dimension-user_username is not registered. < meta name="octolytics-di
- 143 Element div not allowed as child of element span in this context. (Suppressing further errors from this subtree.) <div class="copyright-text"
- Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools). <h1>Talks by Bram Stein</h
- Consider using the h1 element as a top-level heading only (all h1 elements are treated as top-level headings by many screen readers and other tools). <h1>Speaker Details</h1>

INS

HTML ▼



▶ fonts ▶ img

<> index.html

▶ js

LICENSE

▶ mail


README.md

1 Nu Markup Checker Problem

The "frameborder" attribute on the "iframe" element is obsolete. Use CSS instead. <iframe width="560" height="315" src="https://www.youtube.com/embed/nsBH_w



Duplicate Files & Folders



Right-click on a file (or folder) & select Duplicate

Note that this does not work for files under Working Files

Getting Started ▼

- <> index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html


```
<!doctype html>
    <html>
      <head>
       <meta charset="UTF-8">
 5
       <title>Test Document</title>
 6
      </head>
      <body>
8
       <h1>Test Title</h1>
9
10
11 ▼
       >
         Lorem ipsum dolor sit amet, consectetur
12
         adipisicing elit, sed do eiusmod tempor
         incididunt ut labore et dolore magna aliqua. Ut
         enim ad minim veniam, quis nostrud exercitation
         ullamco laboris nisi ut aliquip ex ea commodo
         consequat.
       >
```











```
<!doctype html>
    <html>
     <head>
       <meta charset="UTF-8">
       <title>Test Document</title>
 6
     </head>
     <body>
8
       <h1>Test Title</h1>
9
10
11 V
       >
         Lorem ipsum dolor sit amet, consectetur
12
         adipisicing elit, sed do eiusmod tempor
         incididunt ut labore et dolore magna aliqua. Ut
         enim ad minim veniam, quis nostrud exercitation
         ullamco laboris nisi ut aliquip ex ea commodo
         consequat.
       >
```

PH

♦




- <> index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <>> test copy.html
- <> test.html

```
<!doctype html>
    <html>
      <head>
       <meta charset="UTF-8">
       <title>Test Document</title>
 6
      </head>
      <body>
8
       <h1>Test Title</h1>
9
10
11 V
       >
         Lorem ipsum dolor sit amet, consectetur
12
         adipisicing elit, sed do eiusmod tempor
         incididunt ut labore et dolore magna aliqua. Ut
         enim ad minim veniam, quis nostrud exercitation
         ullamco laboris nisi ut aliquip ex ea commodo
         consequat.
       >
```

Line 1, Column 1 — 20 Lines

INS HTML ▼

♦



INS HTML ▼



PH


\$

Debugging

Brackets provides 4 ways to debug your code


- 1. Colors
- 2. Nu Markup Checker
- 3. Indentator
- 4. Live Preview

Colors





- index.html
- test.html
- Getting Started ▼
- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html



Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.




If you see red, there's a problem

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

18

13

Nu Markup Checker





- index.html
- test.html
- Getting Started ▼
- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html



Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.



If you see an error symbol, there's a problem

17 ▼ >

18

Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Line 14, Column 9 — 22 Lines









Indentator









test.html

Getting Started ▼

- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html



Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.



13

18

If your indentation is screwy, there's a problem


Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Line 14, Column 9 — 22 Lines





Live Preview



adipiscing elit. Sed c euismod. Nunc at alesuada fames ac vulputate lorem.

rta. Donec aliquam rci eu, sagittis estibulum orci, eu

Configuration

Spaces or Tabs?

A debate has raged for decades: spaces or tabs?

Tabs allow different users to indent at the size they like, but can cause problems

Spaces are spaces are spaces — the same for everyone — but can cause problems

Pick the one you like (I like spaces)

Getting Started ▼

- <> index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html

```
<!doctype html>
    <html>
      <head>
        <meta charset="UTF-8">
        <title>Test Document</title>
      </head>
      <body>
 8
        <h1>Test Title</h1>
 9
10
11 V
        >
          Lorem ipsum dolor sit amet, consectetur
12
          adipisicing elit, sed do eiusmod tempor
          incididunt ut labore et dolore magna aliqua. Ut
          enim ad minim veniam, quis nostrud exercitation
          ullamco laboris nisi ut aliquip ex ea commodo
          consequat.
                   Click on Spaces to change
```

Line 1, Column 1 — 20 Lines

>

INS HTML ▼

#





Getting Started ▼

- <> index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**
- <> test.html

```
<!doctype html>
    <html>
      <head>
        <meta charset="UTF-8">
 5
        <title>Test Document</title>
 6
      </head>
      <body>
8
        <h1>Test Title</h1>
 9
10
11 V
        >
          Lorem ipsum dolor sit amet, consectetur
12
          adipisicing elit, sed do eiusmod tempor
          incididunt ut labore et dolore magna aliqua. Ut
          enim ad minim veniam, quis nostrud exercitation
          ullamco laboris nisi ut aliquip ex ea commodo
          consequat.
        >
```

Line 1, Column 1 — 20 Lines

HTML ▼

♦

How many spaces? Or, if tabs, how big are they?

2, 4, or 8?

8 & 4 seem too big to me & create nesting that is too deep, so I always choose 2

Getting Started ▼

- <> index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html

```
<!doctype html>
    <html>
      <head>
        <meta charset="UTF-8">
        <title>Test Document</title>
      </head>
      <body>
 8
        <h1>Test Title</h1>
 9
10
11 V
        >
          Lorem ipsum dolor sit amet, consectetur
12
          adipisicing elit, sed do eiusmod tempor
          incididunt ut labore et dolore magna aliqua. Ut
          enim ad minim veniam, quis nostrud exercitation
          ullamco laboris nisi ut aliquip ex ea commodo
          consequat.
        Click on the number to change
```

>

Line 1, Column 1 — 20 Lines

\$

Getting Started ▼

- <> index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html

```
<!doctype html>
    <html>
      <head>
        <meta charset="UTF-8">
 5
        <title>Test Document</title>
 6
      </head>
      <body>
8
        <h1>Test Title</h1>
 9
10
11 V
        >
          Lorem ipsum dolor sit amet, consectetur
12
          adipisicing elit, sed do eiusmod tempor
          incididunt ut labore et dolore magna aliqua. Ut
          enim ad minim veniam, quis nostrud exercitation
          ullamco laboris nisi ut aliquip ex ea commodo
          consequat.
        >
```

♦


Themes

Click on View > Themes...

Getting Started ▼

- <> index.html
- # main.css
- screenshots
 - **quick-edit.png**
- <> test.html


Adjust so you can read your code (try 16; I use 24 for teaching)





- index.html
- # main.css
- ▼ screenshots
 - **quick-edit.**png
- <> test.html

You can install other themes too



Common Themes

Certain themes appear in almost any editor that supports theming

- » Monokai
- » Soda
- » Solarized

You should check those theme out first

- » They probably will meet your needs
- » If you switch to a different editor, you can keep using your theme

Solarized

Originally developed in 2010 (for Vim?)

SOLARIZED

Precision colors for machines and people


```
qualified Data.ma
   ort qualified Data.Set
    XState, the (mutable) wind
data XState = XState
     windowset :: !WindowSet
                :: \(S.Set Win
    , mapped
def load savefile-
    File.foreach(savefile()) do
    k, v = *line.split(/=/, 2)
    self[k] = v.strip
    end
   e Errno:: ENOENT-
```

SOLARIZED

Meet the Man Behind 'Solarized,' the Most Important Color Scheme in Computer History


It took Ethan Schoonover six months to choose the 16 most prevalent colors in computer science

By Jack Smith IV • 02/27/15 9:55am



How many themes get articles written about them?

INS HTML ▼ A Spaces: 2



- <> index.html
- # main.css
- ▼ screenshots
 - **quick-edit.png**

3

Themes

Available

Solarized Dark

1.1.0 - 05/13/2015

solarized-dark

Damien Robertson

1.0.0 - 09/12/2014

solarized-light

Damien Robertson

1.0.0 - 09/12/2014

1.0.3 - 08/02/2014

Solarized

Miguel Castillo

1.0.0 - 07/29/2014

Solarized-light-Theme

Line 13, Column 46 — 208 Lines

Shane Ramiah

<> test.html





- <> index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html

```
<!DOCTYPE html>
    <html>
 4 V
         <head>
             <meta charset="utf-8">
 5
             <meta http-equiv="X-UA-Compatible"</pre>
 6
             content="IE=edge">
             <title>GETTING STARTED WITH BRACKETS</title>
             <meta name="description" content="An</pre>
 8
             interactive getting started guide for
             Brackets.">
             <link rel="stylesheet" href="main.css">
9
10
         </head>
11 V
         <body>
12
             <h1>GETTING STARTED WITH BRACKETS</h1>
13
             <h2>This is your guide!</h2>
14
16 V
             <!--
17
                 MADE WITH <3 AND JAVASCRIPT
```

INS HTML ▼ A Spaces: 2



Getting Started ▼



- <> index.html
- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html

```
<!DOCTYPE html>
 2 ▼ <html>
 3
         <head>
 4 ▼
             <meta charset="utf-8">
 5
             <meta http-equiv="X-UA-Compatible"</pre>
 6
             content="IE=edge">
             <title>GETTING STARTED WITH BRACKETS</title>
             <meta name="description" content="An</pre>
 8
             interactive getting started guide for
             Brackets.">
             <link rel="stylesheet" href="main.css">
9
         </head>
10
         <body>
11 ▼
12
             <h1>GETTING STARTED WITH BRACKETS</h1>
13
             <h2>This is your guide!</h2>
14
15
             <!--
16 ▼
                 MADE WITH <3 AND JAVASCRIPT
17
```

INS HTML ▼ ♠ Spaces: 2

PH


#

﴾


Soda

Originally developed for Sublime Text (in 2011?)

INS HTML ▼ A Spaces: 2



Line 13, Column 46 — 208 Lines




<meta http-equiv="X-UA-Compatible"</pre> <title>GETTING STARTED WITH BRACKETS</title> <meta name="description" content="An interactive</pre> getting started guide for Brackets."> <link rel="stylesheet" href="main.css"> <h1>GETTING STARTED WITH BRACKETS</h1>












PH


#


Monokai

Originally developed for TextMate in 2006

Many variants, some combined with Soda








- # main.css
- ▼ screenshots
 - quick-edit.png
- <> test.html

```
<!DOCTYPE html>
 2 ∇ <html>
 3
 4 ∇
          <head>
 5
               <meta charset="utf-8">
               <meta http-equiv="X-UA-Compatible"</pre>
 6
               content="IE=edge">
               <title>GETTING STARTED WITH BRACKETS</title>
               <meta name="description" content="An</pre>
 8
               interactive getting started guide for
               Brackets.">
               <link rel="stylesheet" href="main.css">
 9
          </head>
10
          <body>
11 \, \nabla
12
               <h1>GETTING STARTED WITH BRACKETS</h1>
13
               <a href="https://kapachar.com/squide!</h2">h2>This is your guide!</h2>
14
15
               <!--
16 ♥
                   MADE WITH <3 AND JAVASCRIPT
17
```

PH

#





<> index.html

main.css

▼ screenshots

quick-edit.png

<> test.html

```
<!DOCTYPE html>
                                 Monokai Darker Soda
 2 \ <html>
 4 V
         <head>
             <meta charset="utf-8">
 5
             <meta http-equiv="X-UA-Compatible"</pre>
 6
             content="IE=edge">
             <title>GETTING STARTED WITH BRACKETS</title>
             <meta name="description" content="An</pre>
 8
             interactive getting started guide for
             Brackets.">
             <link rel="stylesheet" href="main.css">
 9
         </head>
10
         <body>
11 V
12
             <h1>GETTING STARTED WITH BRACKETS</h1>
13
             <h2>This is your guide!</h2>
14
15
16 V
             <!--
```

MADE WITH <3 AND JAVASCRIPT


PH

#


♦

17


Installing Themes




Extension Manager > Themes...




Like it? Click Install




Click on More info... to see a preview of the theme





Let's try another one...



FredPizarro/theme-dark-coffee-color: Inspirate in the product coffee !!..

Bonjour V S-Foc Ent V RSG V WS V Best V G V Soc V Apps V lets V News V Save V

Images

view in html

```
() index.html
            <!DOCTYPE html>
       2 ▼ <html lang="en">
       3 ♥ <head>
                     <meta charset="UTF-8">
                     <title>Document</title>
             </head>
       7 ▼ <body>
                     <section class="color-group">
                           10 V
                           <span class="name light-strong">Red</span>
     11
                           <span class="shade light-strong">500</span>
     12
                            <span class="hex light-strong">#f44336</span>
                           <span class="shade expanded">50</span><span class="hex">#ffebee</span>
                           class="color dark" style="background-color: #ffcdd2;"><span class="shade">100</span><span class="hex">#ffcdd2</span>
                           class="color dark" style="background-color: #ef9a9a"><span class="shade expanded">200</span><span class="hex">#ef9a9a</span>
                           class="color dark" style="background-color: #e57373;"><span class="shade">300</span><span class="hex">#e57373</span>
                           class="color" style="background-color: #ef5350;"><span class="shade expanded">400</span><span class="hex">#ef5350</span>
     19
                           class="color" style="background-color: #f44336;"><span class="shade">500</span><span class="hex">#f44336</span>
                           class="color" style="background-color: #e53935;"><span class="shade expanded">600</span><span class="hex">#e53935</span>
                           class="color" style="background-color: #d32f2f;"><span class="shade">700</span><span class="hex">#d32f2f</span>
                           class="color" style="background-color: #c62828;"><span class="shade expanded">800</span><span class="hex">#c62828</span>
                           class="color" style="background-color: #b71c1c;"><span class="shade expanded">900</span><span class="hex">#b71c1c</span>
                           class="color dark divide" style="background-color: #ff8a80;"><span class="shade accent">A100</span><span class="hex">#ff8a80</span>
                           class="color light-strong" style="background-color: #ff5252;"><span class="shade accent expanded">A200</span><span class="hex">#ff5252</span><span class="hex">#ff5252</span class
                           class="color" style="background-color: #ff1744;"><span class="shade accent expanded">A400</span><span class="hex">#ff1744</span>
                           class="color" style="background-color: #d50000;"><span class="shade accent">A700</span><span class="hex">#d50000</span>
```

view in CSS



Bonjour ∨ S-Foc

FredPizarro/theme-dark-coffee-color: Inspirate in the product coffee !!..

Ent V RSG V WS V Best V G V Soc V Apps V lets V News V Save V

view in CSS

```
theme.css
    .CodeMirror,
15 ▼ .CodeMirror-scroll {
      background-color: #211513;
       color: #bdbdbd;
19 #editor-holder .CodeMirror,
20 ▼ #editor-holder .CodeMirror-scroll {
       background-color: #211513;
       color: #bdbdbd;
23 }
24 ♥ .cm-m-css.cm-tag {
       color: #42a5f5;
26 }
27 ▼ .CodeMirror-focused .CodeMirror-activeline-background {
       background: #1a237e;
29 }
30 ▼ .show-line-padding .CodeMirror-focused .CodeMirror-activeline-background {
       box-shadow: inset 15px 0 0 0 #000;
33 ▼ .CodeMirror-focused .CodeMirror-activeline .CodeMirror-gutter-elt {
       background: rgba(0, 0, 0, 0.2);
       color: #fff;
37 ▼ .CodeMirror-focused .CodeMirror-activeline .inline-widget .CodeMirror-gutter-elt {
       color: #424242;
     .cm-atom,
 42 .cm-string,
```

view in javascript



Other Extensions



Writing Presentations Teaching Web Dev Tech Personal Site Map Search

Changing Tags

Home > Web Dev > Editors > Brackets > Extensions > Changing Tags

- Developer: Ekaterina Dontsova
- Find Changing Tags on the Brackets Extension Manager
- What it does: Quickly rename elements in matching opening & closing tags
- How to use it: Select the element in an opening tag that you wish to change & enter a new element & you're finished!

If for some reason you don't like Changing Tags, take a look at Tag Renamer. It's similar to Changing Tags, but not as smooth to use.

- Developer: 0674272bac (AKA ucym)
- Find Tag Renamer on the Brackets Extension Manager
- What it does: Quickly rename elements in matching opening & closing tags
- How to use it: Press Ctrl+Shift+R (Windows & Mac), enter a new element, & press Enter




Writing Presentations Teaching Web Dev Tech Personal Site Map Search

Join Lines

Home > Web Dev > Editors > Brackets > Extensions > Join Lines

- Developer: Hamdan Javeed
- Find it on the Brackets Extension Manager
- What it does: "Joins the next line or all the lines selected, with or without whitespace"
- How to use it: Install it & select one of the following menus, or use the associated key commands

Here's some text that is *not* joined.





Writing Presentations Teaching Web Dev Tech Personal Site Map Search

Surround Extension

Home > Web Dev > Editors > Brackets > Extensions > Surround

- Developer: Patrick Edelman
- Find it on the Brackets Extension Manager (note that it is called Brackets Surround)
- What it does: "...wrap selected text in Brackets"
- How to use it:
 - 1. Select the text around which you want to insert HTML or characters
 - 2. Press Ctrl+Shift+J (Windows) or 企器J (Mac)
 - 3. Enter HTML tags or characters & press Enter

Some examples:

- automatically adds the
- automatically adds the





Personal Teaching Web Dev Tech Writing Presentations Search Site Map

CSS Class Code Hint Extension

Home > Web Dev > Editors > Brackets > Extensions > CSS Class Code Hint

- Developer: growlscript
- Find it on the Brackets Extension Manager (note that it is called Brackets CSS Class Code Hint)
- What it does: Automatically detect your CSS classes & IDs & makes it far quicker & easier to enter them in your HTML
- How to use it: Start typing in a class or ID name & Brackets will offer to autocomplete their names

Contact

Email scott@granneman.com

Voice 314-780-0489 All content, unless under a Creative Commons license, is © 1997-2017 Scott Granneman.

(Take a look around—a lot of content is licensed

under a Creative Commons license, which gives











Thank you!

scott@granneman.com www.granneman.com ChainsawOnATireSwing.com @scottgranneman

jans@websanity.com websanity.com

Installing & Configuring Brackets A Great Web Development Tool

R. Scott Granneman & Jans Carton

© 2016 R. Scott Granneman Last updated 2021-03-29 You are free to use this work, with certain restrictions. For full licensing information, please see the last slide/page.

Changelog

2021-03-29 1.2: Added notice that Adobe will no longer support Brackets & suggests moving to Visual Studio Code

2017-11-01 1.1: Switched theme to Granneman 1.4; minor formatting fixes; corrected info re: finding themes; changed subtitle

2017-10-31 1.0: First release

Licensing of this work

This work is licensed under the Creative Commons Attribution-ShareAlike 4.0 International License.

To view a copy of this license, visit http://creativecommons.org/licenses/by-sa/4.0/.

You are free to:

- » Share copy and redistribute the material in any medium or format
- » Adapt remix, transform, and build upon the material for any purpose, even commercially

Under the following terms:

Attribution. You must give appropriate credit, provide a link to the license, and indicate if changes were made. You may do so in any reasonable manner, but not in any way that suggests the licensor endorses you or your use. Give credit to:

Scott Granneman • www.granneman.com • scott@granneman.com

Share Alike. If you remix, transform, or build upon the material, you must distribute your contributions under the same license as the original.

No additional restrictions. You may not apply legal terms or technological measures that legally restrict others from doing anything the license permits.

Questions? Email scott@granneman.com